

CLOSED FLUORCAM

LIST OF REFERENCES

BOURDAIS G., BURDIAC P., GAUTHIER A., ET AL. (2015) Large-Scale Phenomics Identifies Primary and Fine-Tuning Roles for CRKs in Responses Related to Oxidative Stress. PLoS Genet., Volume 11.

DOI:10.1371/journal.pgen.1005373

http://www.helsinki.fi/plantreceptors/publications/2015_bourdais_CRKs.pdf

*BEIKE A. K., LANG D., ZIMMER A. D., ET AL. (2015). Insights from the cold transcriptome of *Physcomitrella patens*: global specialization pattern of conserved transcriptional regulators and identification of orphan genes involved in cold acclimation. The New Phytologist. Volume 205, Pages 869-881.*

DOI:10.1111/nph.13004

<http://onlinelibrary.wiley.com/doi/10.1111/nph.13004/abstract>

*DOOLEY F. D., WYLLIE-ECHEVERRIA S., GUPTA E., ET AL. (2015). Tolerance of *Phyllospadix scouleri* seedlings to hydrogen sulfide. Aquatic Botany. Volume 123, Pages 72–75.*

DOI: 10.1016/j.aquabot.2015.02.004

http://www.rickydooley.com/uploads/3/8/7/1/38715235/dooley_et_al._2015_p._scouleri_h2s.pdf

*PERIN G., BELLAN A., SEGALLA A., ET AL. (2015). Generation of random mutants to improve light-use efficiency of *NANNOCHLOROPSIS GADITANA* cultures for biofuel production. BIOTECHNOLOGY FOR BIOFUELS . Volume 8.*

DOI:10.1186/s13068-015-0337-5

<http://www.biotechnologyforbiofuels.com/content/8/1/161>

*VERCRUYSSSEN L., TOGNETTI V. B., GONZALEZ N., ET AL. (2015). *GROWTH REGULATING FACTOR5* Stimulates *Arabidopsis* Chloroplast Division, Photosynthesis, and Leaf Longevity. Plant Physiology. Volume 167, Pages 817-32.*

DOI: 10.1104/pp.114.256180

<http://www.ncbi.nlm.nih.gov/pubmed/25604530>

*ALINIAEIFARD S. AND VAN MEETEREN (2014). U. Natural variation in stomatal response to closing stimuli among *Arabidopsis thaliana* accessions after exposure to low VPD as a tool to recognize the mechanism of disturbed stomatal functioning. Journal of Experimental Botany. Volume 65, Pages 6529-6542.*

DOI:10.1093/jxb/eru370

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4246184/>

BEELER S., LIU H., STADLER M., ET AL. (2014). *Plastidial NAD-Dependent Malate Dehydrogenase Is Critical for Embryo Development and Heterotrophic Metabolism in Arabidopsis*. *Plant Physiology*. Volume 164, Pages 1175–1190.

DOI: 10.1104/pp.113.233866

http://www.pbc.ethz.ch/content/dam/ethz/special-interest/biol/plant-sciences/plantbiochemistry-dam/pdf_Dokumente/Beeler%202014.pdf

GAWROŃSKI P, WITOŃ D, VASHUTINA K., ET AL. (2014). *Mitogen-Activated Protein Kinase 4 Is a Salicylic Acid-Independent Regulator of Growth But Not of Photosynthesis in Arabidopsis*. *Molecular Plant*. Volume 7, Pages 1151–1166.

DOI: <http://dx.doi.org/10.1093/mp/ssu060>

http://ac.els-cdn.com/S1674205214608170/1-s2.0-S1674205214608170-main.pdf?_tid=4df4ae2c-8724-11e5-821a-00000aacb360&acdnat=1447102750_6f8bdbea32f66dad376361cd0e04e282

HIDA E. Z., ÇAKO V., BABANI F., ET AL. (2014). *The Influence of Stress Analyzed By The Emitted Fluorescence Changes*. *Journal of Engineering (IOSRJEN)*; Volume 4, Pages 38-43.

http://www.iosrjen.org/Papers/vol4_issue4%20%28part-6%29/G04463843.pdf

HIDA E. Z., ÇAKO V., BABANI F., ET AL. (2014). *Activity Imaging Photosynthetic Of Populus X Canadensis Moench Plants In Air Pollution*. *International Journal of Engineering Inventions*. Volume 3. Pages 35-40.

<http://www.ijejournal.com/papers/Vol.3-Iss.8/E03083540.pdf>

HURA K., HURA T., GRZESIAK M. (2014). *Function of the photosynthetic apparatus of oilseed winter rape under elicitation by Phoma lingam phytotoxins in relation to carotenoid and phenolic levels Acta Physiol Plant*. Volume 36, Pages 295–305

DOI:10.1007/s11738-013-1410-y

<http://link.springer.com/article/10.1007%2Fs11738-013-1410-y>

JOHNSON, S. M., LIM F. L., FINKLER A., ET AL. (2014). *Transcriptomic analysis of Sorghum bicolor responding to combined heat and drought stress.*, *BMC genomics.*, Volume 15, Page 456.

DOI: 10.1186/1471-2164-15-456

<http://dro.dur.ac.uk/13942/1/13942.pdf?DDD1+dbl0mrk+d700tmt>

LEAL M. C., JESUS B., EZEQUIEL J., ET AL. (2014). *Concurrent imaging of chlorophyll fluorescence, Chlorophyll a content and green fluorescent proteins-like proteins of symbiotic cnidarians*. *Marine Ecology*, Pages 1-13.

DOI: 10.1111/maec.12164

https://www.researchgate.net/publication/264052027_Concurrent_imaging_of_chlorophyll_fluorescence_chlorophyll_a_content_and_GFP-like_proteins_of_symbiotic_cnidarians

LEE S. B., YOO S. Y., KIM D. Y., ET AL. (2014) *Proteomic evaluation of the response of soybean (Glycine max var Seoritae) leaves to UV-B. Plant Omics.*

<http://www.readperiodicals.com/201405/3348439431.html>

MOŹDŹEŃ K. AND REPKA P. (2014). *Allelopathic influence of aqueous extracts from the leaves of Morus alba L. on seed germination and seedling growth of Cucumis sativus L. and Sinapsis alba L. Modern Phytomorphology. Volume 5. Pages 93–99.*

<http://phytomorphology.org/PDF/MP5/Vol5full.pdf>

PERIN G., SEGALLA A., BASSO S., ET AL. (2014) *Biotechnological Optimization of Light Use Efficiency in Nannochloropsis Cultures for Biodiesel Production Chemical Engineering Transactions. Volume 37, Pages 763-768.*

DOI: 10.3303/CET1437128

<http://www.aidic.it/cet/14/37/128.pdf>

BIANCONI D., PIETRINI F., MASSACCI A., ET AL. (2013). *Uptake of Cadmium by Lemna minor, a (hyper?-) accumulator plant involved in phytoremediation applications. E3S Web of Conferences. Volume 1.*

DOI:10.1051/e3sconf/20130113002

<http://dx.doi.org/10.1051/e3sconf/20130113002>

GAWROŃSKI P, GÓRECKA M, BEDERSKA M, ET AL. (2013). *Isochorismate synthase 1 is required for thylakoid organization, optimal plastoquinone redox status, and state transitions in Arabidopsis thaliana. Journal of Experimental Botany. Volume 64, Pages 3669-3679.*

DOI:10.1093/jxb/ert203

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3745728/>

HIDA E. Z., ÇAKO V., BABANI F., ET AL. (2013). *Photosynthetic activity imaging of stressed-pollution plants. International Journal of Ecosystems & Ecology Sciences. Volume. 3. Page 53.*

<http://connection.ebscohost.com/c/articles/85955579/photosynthetic-activity-imaging-stressed-pollution-plants>

HIRTH M., DIETZEL L., STEINER S., ET AL. (2013). *Photosynthetic acclimation responses of maize seedlings grown under artificial laboratory light gradients mimicking natural canopy conditions. Frontiers in Plant Science. Volume 4, Page 334.*

DOI: 10.3389/fpls.2013.00334

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3770919/>

LYSKA D., ENGELMANN K., MEIERHOFF K., ET AL. (2013). *A Gateway-Based Vector System for Adaptive Expression and Flexible Tagging of Proteins in Arabidopsis. PLoS ONE. Volume 8.*

DOI:10.1371/journal.pone.0053787

<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0053787>

MALASARN D., KROPAT J., HSIEH S. I., ET AL. (2013). Zinc Deficiency Impacts CO₂ Assimilation and Disrupts Copper Homeostasis in *Chlamydomonas reinhardtii*. *The Journal of Biological Chemistry*. Volume 288, Pages 10672-10683.

DOI:10.1074/jbc.M113.455105

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3624447/>

MARTEINSSON V, VAISHAMPAYAN P, KVIDEROVA J, ET AL. (2013). A Laboratory of Extremophiles: Iceland Coordination Action for Research Activities on Life in Extreme Environments (CAREX) Field Campaign. *Life: Open Access Journal*. Volume 3, Pages 211-233.

DOI:10.3390/life3010211

<http://www.mdpi.com/2075-1729/3/1/211>

NOVÁK J, PAVLŮ J, NOVÁK O, ET AL. (2013). High cytokinin levels induce a hypersensitive-like response in tobacco. *Annals of Botany*. Volume 112, Pages 41-55.

DOI: 10.1093/aob/mct092

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3690983/>

PINNOLA A., DALL'OSTO L., GEROTTO C ET AL. (2013) Zeaxanthin Binds to Light-Harvesting Complex Stress-Related Protein to Enhance Nonphotochemical Quenching in *PHYSCOMITRELLA PATENS*. *The Plant Cell*. Volume 25, Pages 3519-3534.

DOI: <http://dx.doi.org/10.1105/tpc.113.114538>

<http://www.plantcell.org/content/25/9/3519.full>

WITUSZYŃSKA .W, GAŁĄZKA K., RUSACZONEK A., ET AL.(2013). Multivariable environmental conditions promote photosynthetic adaptation potential in *Arabidopsis thaliana*. *J Plant Physiol*. Volume 170, Pages 548-59.

DOI: 10.1016/j.jplph.2012.11.016

<http://www.ncbi.nlm.nih.gov/pubmed/23287000>

ECKERT C, BOEHM M, CARRIERI D., ET AL. (2012). Genetic Analysis of the Hox Hydrogenase in the Cyanobacterium *Synechocystis* sp. PCC 6803 Reveals Subunit Roles in Association, Assembly, Maturation, and Function. *The Journal of Biological Chemistry*. Volume 287, Pages 43502-43515.

DOI:10.1074/jbc.M112.392407

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3527937/>

HEBBELMANN I, SELINSKI J, WEHMEYER C., ET AL. (2012). Multiple strategies to prevent oxidative stress in *Arabidopsis* plants lacking the malate valve enzyme NADP-malate dehydrogenase. *Journal of Experimental Botany*. Volume 63, Pages 1445-1459.

DOI:10.1093/jxb/err386

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3276105/>

KONG L., WANG F., ZHANG R., ET AL. (2012). *High Nitrogen Rate Inhibits Proteolysis and Decreases the Export of Leaf Pre-stored Proteins to Grains in Wheat (Triticum aestivum)*. *International Journal of Agriculture and Biology*. Volume 14, Pages 1009-1013.

DOI: 12-639/MFA/2012/14-6-1009-1013

http://www.fspublishers.org/published_papers/40697..pdf

BAURIEGEL E., GIEBEL A. AND HERPPICH W.B. (2011). *Hyperspectral and chlorophyll fluorescence imaging to analyse the impact of Fusarium culmorum on the photosynthetic integrity of infected wheat ears*. *Sensors (Basel)*. Volume 11, Pages 3765-3779.

DOI: 10.3390/s110403765

<http://www.mdpi.com/1424-8220/11/4/3765>

DIETZEL L., BRÄUTIGAM K., STEINER S., ET AL. (2011). *Photosystem II Supercomplex Remodeling Serves as an Entry Mechanism for State Transitions in Arabidopsis*. *The Plant Cell*. Volume 23, Pages 2964-2977.

DOI:10.1105/tpc.111.087049

<http://www.plantcell.org/content/23/8/2964.full.pdf+html>

GUTZAT R., BORGHİ L., FÜTTERER J., ET AL. (2011) *Retinoblastoma-related protein controls the transition to autotrophic plant development*. *Development*. Volume 138, Pages 2977-2986.

DOI: 10.1242/dev.060830

<http://dev.biologists.org/content/138/14/2977>

KVÍDEROVÁ J., ELSTER J. AND ŠÍMEK M. (2011). *In situ response of Nostoc commune s.l. colonies to desiccation in Central Svalbard, Norwegian High Arctic*. *Fottea*. Volume 11, Pages 87-97.

<http://fottea.czechphycology.cz/pdfs/fot/2011/01/09.pdf>

PENG L, SHIKANAI T. (2011). *Supercomplex Formation with Photosystem I Is Required for the Stabilization of the Chloroplast NADH Dehydrogenase-Like Complex in Arabidopsis*. *Plant Physiology*. Volume 155, Pages 1629-1639.

DOI:10.1104/pp.110.171264

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3091109/>

WILLIG A., SHAPIGUZOV A., GOLDSCHMIDT-CLERMONT M., ET AL. (2011). *The Phosphorylation Status of the Chloroplast Protein Kinase STN7 of Arabidopsis Affects Its Turnover*. *Plant Physiology*. Volume 157, Pages 2102-2107.

DOI:10.1104/pp.111.187328

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3327173/>

HERPPICH W. B., FOERSTER J., ZEYMER J., ET AL. (2010). *Chlorophyll fluorescence image analysis for non-destructive monitoring of physiological changes in the fresh and fresh-cut produce*. *Environmentally Friendly and Safe Technologies for Quality of Fruits and Vegetables*. Volume 1.

<https://sapientia.ualg.pt/bitstream/10400.1/2915/1/Livro%20Cost-Environmentally%20Friendly-c%3%B3pia.pdf>

PARK S. J., KIM D. Y., YOO S. Y. ET AL. (2010). *Response of Leaf Pigment and Chlorophyll Fluorescence to Light Quality in Soybean (Glycine max Merr. var Seoritae). Korean Journal of Soil Science and Fertilizer. Volume 43,Pages 400-406.*

http://ocean.kisti.re.kr/downfile/volume/ksssf/TBRHBL/2010/v43n3/TBRHBL_2010_v43n3_400.pdf

TAKAMI T. KOBAYASHI Y. AND SHIKANAI T. (2010). *Arabidopsis CFD is an ortholog of Chlamydomonas Ccs1 that is required for c-type heme assembly in chloroplasts. Plant Biotechnology. Volume 27, Pages 401-408.*

DOI: 10.5511/plantbiotechnology.10.0614a

https://www.istage.ist.go.jp/article/plantbiotechnology/27/5/27_10.0614a/article

WINGLER A., PURDY S. J., EDWARDS S. A., ET AL. (2010). *QTL analysis for sugar-regulated leaf senescence supports flowering-dependent and –independent senescence pathways. New Phytologist. Volume 185, Pages 420–433.*

DOI: 10.1111/j.1469-8137.2009.03072.x

<http://www.ucl.ac.uk/~ucbtawi/Papers%20for%20website/QTL%20New%20Phytol.pdf>

WORK V. H., RADA KOVITS R., JINKERSON R. E., ET AL. (2010). *Increased Lipid Accumulation in the Chlamydomonas reinhardtii sta7-10 Starchless Isoamylase Mutant and Increased Carbohydrate Synthesis in Complemented Strains . Eukaryotic Cell. Volume 9, Pages 1251-1261.*

DOI:10.1128/EC.00075-10

<http://ec.asm.org/content/9/8/1251.abstract>

BARUAH A., SIMKOVA K., HINCHA D. K., ET AL. (2009). *Modulation of O₂ -mediated retrograde signaling by the PLEIOTROPIC RESPONSE LOCUS 1 (PRL1) protein, a central integrator of stress and energy signaling The Plant Journal. Volume 60, Pages 22–32*

DOI: 10.1111/j.1365-313X.2009.03935.x

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-313X.2009.03935.x/pdf>

MESKAUSKIENE R., WURCH M., LALOI C., ET AL. (2009). *A mutation in the Arabidopsis mTERF-related plastid protein SOLDAT10 activates retrograde signaling and suppresses ¹O₂-induced cell death. The Plant Journal. Volume 60, Pages 399–410*

DOI: 10.1111/j.1365-313X.2009.03965.x

<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-313X.2009.03965.x/full>

STETTLER M., EICKE S., METTLER T., ET AL. (2009). *Blocking the Metabolism of Starch Breakdown Products in Arabidopsis Leaves Triggers Chloroplast degradation. Molecular Plant Volume 2, Pages 1233–1246*

DOI: 10.1093/mp/ssp093

<http://botserv2.uzh.ch/home/shorten/pdf/MolPlant2009.pdf>

JEONG J., COHU C., LOUBNA KERKEB L., ET AL. (2008). Chloroplast Fe(III) chelate reductase activity is essential for seedling viability under iron limiting conditions. PNAS. Volume 105, Pages 10619–10624. DOI: 10.1073/pnas.0708367105 <http://www.pnas.org/content/105/30/10619.full>

*BERGER S., BENEDIKTYOVÁ Z., MATOUS K., ET AL.(2007). Visualization of dynamics of plant-pathogen interaction by novel combination of chlorophyll fluorescence imaging and statistical analysis: differential effects of virulent and avirulent strains of *P. syringae* and of oxylipins on *A. thaliana*. *J Exp Bot.* Volume 58. Pages 797-806. DOI: 10.1093/jxb/erl208 <http://jxb.oxfordjournals.org/content/58/4/797.full>*

*HOGEWONING S., AND HARBINSON J. (2007). Insights on the development, kinetics, and variation of photoinhibition using chlorophyll fluorescence imaging of a chilled, variegated leaf *Journal of Experimental Botany.* Volume 3, Pages 453–463. DOI:10.1093/jxb/erl219 <http://jxb.oxfordjournals.org/content/58/3/453.full>*

*MASCLAUX-DAUBRESSE C, PURDY S, LEMAITRE T, ET AL.(2007). Genetic Variation Suggests Interaction between Cold Acclimation and Metabolic Regulation of Leaf Senescence. *Plant Physiology.* Volume 143, Pages 434–446 DOI: 10.1104/pp.106.091355 <http://www.plantphysiol.org/content/143/1/434.full>*

*OZAKI H., IKEUCHI M., OGAWA T. ET AL. (2007). Large-Scale Analysis of Chlorophyll Fluorescence Kinetics in *Synechocystis* sp. PCC 6803: Identification of the Factors Involved in the Modulation of Photosystem Stoichiometry *Plant Cell Physiology.* Volume 48, Pages 451–458. DOI:10.1093/pcp/pcm015 <http://pcp.oxfordjournals.org/content/48/3/451.full>*

*VAN HOEWYK D, ABDEL-GHANY SE, COHU CM, ET AL.(2007). Chloroplast iron-sulfur cluster protein maturation requires the essential cysteine desulfurase *CpNifS*. *Proceedings of the National Academy of Sciences of the United States of America.* Volume 104, Pages 5686-5691. DOI:10.1073/pnas.0700774104 <http://www.pnas.org/content/104/13/5686.full>*

*MATOUS K., BENEDIKTYOVÁ Z., BERGER S., ET AL. (2006). Case study of combinatorial imaging: what protocol and what chlorophyll fluorescence image to use when visualizing infection of *Arabidopsis thaliana* by *Pseudomonas syringae*? *Photosynth Res.* Volume 90, Pages 243-53. <http://link.springer.com/article/10.1007%2Fs11120-006-9120-6>*

ŠKALOUDOVÁ B., KŘIVAN V. AND ZEMEK R. (2006). *Computer-assisted estimation of leaf damage caused by spider mites Computers and Electronics in Agriculture. Volume 53, Pages 81–91.*

DOI:10.1016/j.compag.2006.04.002

<http://www.entu.cas.cz/krivan/papers/SkaloudovaKrivanZemek-COMPAG-2006.pdf>

OBENLAND D. AND NEIPP P. (2005). *Chlorophyll Fluorescence Imaging Allows Early Detection and Localization of Lemon Rind Injury following Hot Water Treatment. HortScience Volume 40, Pages 1821-1823.*

<http://ucanr.edu/datastoreFiles/234-1538.pdf>

THORNTON L. E., KEREN N., OHAD I., ET AL. (2005). *Physcomitrella patens and Ceratodon purpureus, mosses as model organisms in photosynthesis studies. Photosynthesis Research. Volume 83. Pages 87-96.*

<http://www.publicpriorart.org/xml/20/1/1/7617/361/20.1.1.7617.361.xml>

WINGLER A., BROWNHILL E. AND POURTAU N. (2005). *Mechanisms of the light-dependent induction of cell death in tobacco plants with delayed senescence. Journal of Experimental Botany, Volume 56, Pages 2897–2905.*

DOI:10.1093/jxb/eri284

<http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.334.9811&rep=rep1&type=pdf>

KAŇA R., ŠPUNDOVÁ M., ILÍK P., ET AL. (2004). *Effect of herbicide clomazone on photosynthetic processes in primary barley (Hordeum vulgare L.) leaves. Pesticide Biochemistry and Physiology. Volume 78, Pages 161-170.*

DOI:10.1016/j.pestbp.2003.12.002

https://www.researchgate.net/publication/247773478_Effect_of_herbicide_clomazone_on_photosynthetic_processes_in_primary_barley_%28Hordeum_vulgare_L.%29_leaves

Version: 2015/11

© PSI (Photon Systems Instruments), spol. s r.o.