

GROWTH CHAMBERS AND INCUBATED SHAKERS

LIST OF REFERENCES

FytoScope Chamber FS 130

SZTATELMAN O., ŁABUJ J., HERMANOWICZ P., ET AL. (2016). Fine tuning chloroplast movements through physical interactions between phototropins. *J Exp Bot.* Volume 67.

DOI:<https://doi.org/10.1093/jxb/erw265>

<https://academic.oup.com/jxb/article/67/17/4963/2197611/Fine-tuning-chloroplast-movements-through-physical>

HORRER D., FLÜTSCH S., PAZMINO D. ET AL. (2016). Blue Light Induces a Distinct Starch Degradation Pathway in Guard Cells for Stomatal Opening, *Current Biology*, Volume 26, Issue 3, 8 February 2016, Pages 362-370.

DOI: 10.1016/j.cub.2015.12.036

<http://www.sciencedirect.com/science/article/pii/S0960982215015675>

DUARTE B., SANTOS D., SILVA H. ET AL. (2014). Light–dark O₂ dynamics in submerged leaves of C₃ and C₄ halophytes under increased dissolved CO₂: clues for saltmarsh response to climate change. *AoB Plants*. Volume 6.

DOI:10.1093/aobpla/plu067

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4260444/>

DUARTE B., SANTOS D., SILVA H. ET AL. (2014). Photochemical and biophysical feedbacks of C₃ and C₄ Mediterranean halophytes to atmospheric CO₂ enrichment confirmed by their stable isotope signatures. *Plant Physiology and Biochemistry*. Volume 80. Pages 10-22.

DOI: 10.1016/j.plaphy.2014.03.016

<http://dx.doi.org/10.1016/j.plaphy.2014.03.016>

CARTAXANA P., DOMINGUES .N, CRUZ S. ET AL. (2013). Photoinhibition in benthic diatom assemblages under light stress. *Aquatic Microbial Ecology*. Volume 70. Pages 87-92.

DOI:10.3354/ame01648

<http://www.int-res.com/abstracts/ame/v70/n1/p87-92/>

PAINTER S. C., PATEY M. D., FORRYAN A. ET AL. (2013). Evaluating the balance between vertical diffusive nitrate supply and nitrogen fixation with reference to nitrate uptake in the eastern subtropical North Atlantic Ocean. *Journal of Geophysical Research: Oceans*. Volume 118. Pages 5732-5749.

DOI: 10.1002/jgrc.20416

<http://nora.nerc.ac.uk/502907/>

SABUROVA M., POLIKARPOV I. AND AL-YAMANI F. (2013). New records of the genus *Gambierdiscus* in marginal seas of the Indian Ocean. *Marine Biodiversity Records*. Volume 6.

DOI:10.1017/S1755267213000675

https://www.researchgate.net/publication/259435619_New_records_of_the_genus_Gambierdiscus_in_marginal_seas_of_the_Indian_Ocean

VILUMBRALES M. D., SKÁCELOVÁ K. AND BARTÁK M. (2013). Sensitivity of Antarctic freshwater algae to salt stress assessed by fast chlorophyll fluorescence transient. *Czech Polar Reports*, Brno: Masarykova univerzita, Volume 3. Pages 163 - 172.

DOI:10.5817/CPR2013-2-17

https://www.researchgate.net/publication/259502728_Sensitivity_of_Antarctic_freshwater_algae_to_salt_stress_assessed_by_fast_chlorophyll_fluorescence_transient

WIENJES E., VAN AMERONGEN H., CROCE R. (2013). LHClI is an antenna of both photosystems after long-term acclimation. *Biochimica et Biophysica Acta (BBA) - Bioenergetics*, Volume 1827. Pages 420-426.

DOI: 10.1016/j.bbabi.2012.12.009.

<http://www.sciencedirect.com/science/article/pii/S0005272813000029>

WIENJES E., VAN AMERONGEN H., CROCE R. (2013). Quantum Yield of Charge Separation in Photosystem II: Functional Effect of Changes in the Antenna Size upon Light Acclimation. *The Journal of Physical Chemistry*. Volume 117. Pages 11200-11208.

DOI: 10.1021/jp401663w

<http://pubs.acs.org/doi/abs/10.1021/jp401663w?journalCode=jpcbfc>

COSTA J., GIMÉNEZ-CASALDUERO F., MELO R. ET AL. (2012). Colour morphotypes of *Elysia timida* (Sacoglossa, Gastropoda) are determined by light acclimation in food algae. *Aquatic Biology*. Volume 17. Pages 81-89

DOI: 10.3354/ab00446

<http://www.int-res.com/abstracts/ab/v17/n1/p81-89/>

DOMINGUES N., MATOS A.R., MARQUES DA SILVA J. ET AL. (2012). Response of the Diatom *Phaeodactylum tricornutum* to Photooxidative Stress Resulting from High Light Exposure. *PLoS ONE* 7. Volume 6.

DOI: 10.1371/journal.pone.0038162

<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0038162>

Fytoscope FS 80-RGBIR Mini cabinet

SIDDIQUI H., KHAN S., RHODES B. M. ET AL. (2016). FHY3 and FAR1 Act Downstream of Light Stable phytochromes. *Frontiers in Plant Science*. Volume 7.

DOI=10.3389/fpls.2016.00175

http://www.frontiersin.org/Journal/Abstract.aspx?s=1282&name=plant_cell_biology&ART_DOI=10.3389/fpls.2016.00175

AlgaeTron AG 230

PRASAD A., FERRETTI U., SEDLÁŘOVÁ M. ET AL. (2016). Singlet oxygen production in *Chlamydomonas reinhardtii* under heat stress. *Scientific Reports*. Volume 6.

DOI: 10.1038/srep20094

<http://www.nature.com/articles/srep20094>

STEMMLER K., MASSIMI R., KIRKWOOD A. E. (2016). Growth and fatty acid characterization of microalgae isolated from municipal waste-treatment systems and the potential role of algal-associated bacteria in feedstock production. *PeerJ*. Volume 4.

DOI: 10.7717/peerj.1780.

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4793327/>

JURADO - OLLER J. L., DUBINI A., GALVAN A. ET AL. (2015). Low oxygen levels contribute to improve photohydrogen production in mixotrophic non-stressed *Chlamydomonas* cultures. *Biotechnology for Biofuels*. Volume 8. Pages 149.

DOI: 10.1186/s13068-015-0341-9

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4573693/>

AlgaeTron AG 130-ECO

ZHANG B., WANG L., HASAN R. ET AL. (2014). Characterization of a Native Algae Species *Chlamydomonas debaryana*: Strain Selection, Bioremediation Ability, and Lipid Characterization. *BioResources*. Volume 9. Pages 6130-6140.

DOI: 10.15376/biores.9.4.6130-6140

https://www.researchgate.net/publication/265127086_Characterization_of_a_Native_Algae_Species_Chlamydomonas_debaryana_Strain_Selection_Bioremediation_Ability_and_Lipid_Characterization

Step-In PhytoScope FS-SI

BIELCZYNSKI L. W., SCHANSKER G., CROCE R. (2016). Effect of light acclimation on the organization of Photosystem II super and sub-complexes in *Arabidopsis thaliana*. *Frontiers in Plant Science*. Volume 7.

DOI=10.3389/fpls.2016.00105

http://www.frontiersin.org/Journal/Abstract.aspx?s=1282&name=plant_cell_biology&ART_DOI=10.3389/fpls.2016.00105

RATTANAPICHAJ W., KLEM K. (2016). Two-dimensional Root Phenotyping System Based on Root Growth on Black Filter Paper and Recirculation Micro-irrigation. *Czech J. Genet. Plant Breed.* Volume 52.

DOI: 10.17221/121/2015-CJGPB

https://www.researchgate.net/publication/304003056_Two-dimensional_Root_Phenotyping_System_Based_on_Root_Growth_on_Black_Filter_Paper_and_Recirculation_Micro-irrigation

SZYMAŃSKA R., KOŁODZIEJ K., ŚLESIAK I, ET AL. (2016). Titanium dioxide nanoparticles (100–1000 mg/l) can affect vitamin E response in *Arabidopsis thaliana*, *Environmental Pollution*. Volume 213.

DOI: 10.1016/j.envpol.2016.03.026.

<https://www.ncbi.nlm.nih.gov/pubmed/27060280>

VEČEŘOVÁ K., VEČEŘA Z., DOČEKAL B., ET AL. (2016). Changes of primary and secondary metabolites in barley plants exposed to CdO nanoparticles, *Environmental Pollution*. Volume 218.

DOI: 10.1016/j.envpol.2016.05.013.

<https://www.ncbi.nlm.nih.gov/pubmed/27503055>

VÍTEK P., NOVOTNÁ K., HODAŇOVÁ P., ET AL. (2016). Detection of herbicide effects on pigment composition and PSII photochemistry in *Helianthus annuus* by Raman spectroscopy and chlorophyll a fluorescence. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, Volume 170.

DOI: 10.1016/j.saa.2016.07.025.

<http://www.sciencedirect.com/science/article/pii/S1386142516304164>

HLAVÁČOVÁ, M., ORSÁG, M., FISHER, M. ET AL. (2015). The poplar clone (*Populus Maximowiczii* A. Henry × *P. nigra* L.) growth under the controlled environment of growth chambers. In TOWARDS CLIMATIC SERVICES, Nitra: Slovak University of Agriculture in Nitra, 2015, s. 26. ISBN 978-80-552-1389-7.
<http://www.sbks.sk/doc/papers/Hlavacova%20The%20poplar%20clone.pdf>

Walk -In FytoSope FS-WI

AWLIA M., NIGRO A., FAJKUS J., SCHMÖCKEL S. M., NEGRÃO S., SANTELIA D., TRTÍLEK M., TESTER M., JULKOWSKA M.M. AND PANZAROVÁ K. (2016): High-throughput non-destructive phenotyping of traits contributing to salinity tolerance in *Arabidopsis thaliana*. *Frontiers in Plant Sciences*. Volume 7.

DOI: 10.3389/fpls.2016.01414

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5039194/>

HUMPLIK J.F., LAZAR D., HUSICKOVA A. AND SPICHAL L. (2015): [b]Automated phenotyping of plant shoots using imaging methods for analysis of plant stress responses – a review. *Plant Methods*. Volume 11.

DOI:10.1186/s13007-015-0072-8.

<https://plantmethods.biomedcentral.com/articles/10.1186/s13007-015-0072-8>

HUMPLIK J.F., LAZAR D., FÜRST, T., HUSICKOVA A., HYBL, M. AND SPICHAL L. (2015): Automated integrative high-throughput phenotyping of plant shoots: a case study of the cold-tolerance of pea (*Pisum sativum* L.). *Plant Methods*. Volume 11.

DOI: 10.1186/s13007-015-0063-9

<https://plantmethods.biomedcentral.com/articles/10.1186/s13007-015-0063-9>

Version: 2017/01

© PSI (Photon Systems Instruments), spol. s r.o.